

Products to Offer

- I. **Cow Mats:** Dairy Mats / Cattle Mats / Farm Mats / Stall Mats / Buffalo Mats / Parlor Mats / Agri Mats / Dairy Flooring
- II. **Horse Mats:** Horse Stall Mats / Equine Flooring Mats / Stable Rubber Flooring / Equestrian Matting / Rubber Stable Mats
- III. **Hollow Ring Rubber Mats :** Grass Mats / Rubber Hollow Mats / Rubber Ring Mats
- IV. **Gym Mats :** Rubber Gym Mats / Rubber Gym Flooring
- V. **Cow Cubicles:** Cow Stalls

1. Cubicle Mats :-

a. Hammer Top / Honey comb Bottom (Regular Mats)

Dimension: 1150mm x 1800mm; Thickness: 23mm; Weight: 38kg; Fixtures used: 8

Strength: 4mpa (can customize up to 6mpa on buyers demand); Interlocking: 2sides


Can be loaded in 20ft Container: 492mats on 12 pallets

Pozy Drive Counter sunk self-capping 2inch Length, this is as per A2DIN7982, M10 Washer as per A2DIN125, and both are stainless steel



PRODUCT LINE

- b. Hammer Top / foam bottom (High Comfort - High Milking)
 Dimension: 1150mm x 1800mm; Thickness: 25mm; Weight: 34kg; Fixtures used: 8
 Strength: 4mpa (can customize up to 6mpa on buyers demand); Interlocking: 2sides
 Can be loaded in 40ft Container: 600mats on 24 pallets



2. Alley Mats / Passage Area / Milking Parlors / Slope Areas :-

- a. Hexagonal top / Stud pattern bottom
 Dimension: 1150mm x 1800mm; Thickness: 23mm; Weight: 42kg; Fixtures used: 12
 Strength: 4mpa (can customize up to 6mpa on buyers demand); Interlocking: 4sides
 Can be loaded in 20ft Container: 468mats on 12 pallets



PRODUCT LINE

b. Penny grip top / Honeycomb bottom

Dimension: 1150mm x 1800mm; Thickness: 23mm; Weight: 44kg; Fixtures used: 8
Strength: 4mpa (can customize up to 6mpa on buyers demand); Interlocking: 2sides
Can be loaded in 20ft Container: 456mats on 12 pallets



c. Penny top / Penny bottom OR Penny top / Hammer bottom {as per requirement}

Dimension: 1000mm x 1000mm; Thickness: 15mm; Weight: 15kg; Fixtures used: 9
Strength: 4mpa (can customize up to 6mpa on buyers demand); Interlocking: 4sides
Can be loaded in 20ft Container: 1200mats on 20 pallets



PRODUCT LINE

d. Penny top / Penny bottom

Dimension: 1000mm x 1000mm; Thickness: 22mm; Weight: 22kg; Fixtures used: 9
 Strength: 4mpa; Interlocking: 4sides
 Can be loaded in 20ft Container: 950mats on 20 pallets

e. Penny top / Penny bottom


Dimension: 1000mm x 1000mm; Thickness: 22mm; Weight: 22kg; Fixtures used: 9
 Strength: 8mpa; Interlocking: 4sides
 Can be loaded in 20ft Container: 950mats on 20 pallets

NOTE: Option of Straight Edge is also available in Cow Mats, on customer demand.

II. Horse Mats: Horse Stall Mats / Equine Flooring Mats / Stable Rubber Flooring / Equestrian Matting / Rubber Stable Mats

a. Hammer or Diamond top / Vertical grooves bottom

Dimension: 6ft x 4ft; Thickness: 17mm; Weight: 38kg
 Strength: 4mpa (can customize up to 6mpa on buyers demand); Interlocking: 4sides
 Can be loaded in 20ft Container: 444mats on 12 pallets




PRODUCT LINE

b. Hard Bubble top / Vertical grooves bottom

Dimension: 6ft x 4ft; Thickness: 17mm; Weight: 36kg;

Strength: 4mpa (can customize up to 6mpa on buyers demand)

Can be loaded in 20ft Container: 444mats on 12 pallets



Note: Option of Interlock on 4sides is also available in Horse Mats, on customer demand.

III. Rubber Ring Hollow Mats / Grass Mats / Rubber Hollow Mats / Rubber Ring Mats:

Dimension: 1mt x 1.5mtr; Thickness: 22mm; Weight: 11.5-12kg

Can be loaded in 40ft Container: 1800mats on 18 pallets

20ft Container: 735mats on 7 pallets



IV. Gym Mats / Rubber Gym Mats / Rubber Gym Flooring:


- a. Dimension: 2ft x 2ft; Thickness: 12mm; Weight: 4kg; Color: Black
Strength: 4mpa; Interlocking: 4sides
Can be loaded in 20ft Container: 3800 mats on 12 pallets

- b. Dimension: 2ft x 2ft; Thickness: 12mm; Weight: 4kg; Color: 2mm top color rest black
Strength: 4mpa; Interlocking: 4sides
Can be loaded in 20ft Container: 3800 mats on 12 pallets

- c. Dimension: 750mm x 750mm; Thickness: 12mm; Weight: 6.5kg; Color: Black
Strength: 4mpa; Interlocking: 4sides
Can be loaded in 20ft Container: 3250 mats on 12 pallets

- d. Dimension: 750mm x 750mm; Thickness: 12mm; Weight: 6.5kg; Color: 2mm top color rest black
Strength: 4mpa; Interlocking: 4sides
Can be loaded in 20ft Container: 3250 mats on 12 pallets

Color Options Available: Yellow, Green, Brick Red, Blue & Black



VI. Cow Stalls / Cow Cubicles:

Options available in Cubicles are:

- a. **Metal Cubicles** : Dimension : 4ft Width x 1800 mm Length
Pipe Thickness: 3mm (or as per customer requirement)
Hot Dip Galvanized (Zinc Plating) mild steel post
Size: As per Customer requirement



- b. **Plastic Cubicles** : Dimension : 4ft width x 1.8mt / 2mt / 2.2mt Length
Steel Post Height: 1.8mt
Pipe Material: Highly Flexible & Elastic plastic material
Thickness: 12.5mm
Operational Temperature: -10 to 50 Degree Celsius
Size: As per Customer requirement

